



**UNIVERSITY of LIMERICK**  
**OLLSCOIL LUIMNIGH**

**For Office Use Only: EHSREC No:**

**UNIVERSITY OF LIMERICK RESEARCH ETHICS COMMITTEE**

**RISK ASSESSMENT FORM – PROCEDURES INVOLVING HUMAN SUBJECTS**

**Procedure No**

**Title of Procedure**

**Name of Assessor(s)**  **Assessment Date**

Does this procedure already have ethical approval? (Delete as appropriate)

If **YES**, enter ethical number and expiry date

<b>Approval No:</b>	
<b>Expiry Date:</b>	/ /

**1 Please provide a brief description of the procedure**

1. Doubly labelled water (DLW) is a mixture of two stable isotopes, i.e. deuterium the stable isotope of hydrogen and oxygen-18, the stable isotope of oxygen. This water is completely safe to drink, as both isotopes are stable and are present in all the water on earth.
2. The subjects' body mass is used to titrate the required amount of DLW to achieve incorporation into the body water pool. DLW has no difference in taste or texture to normal water and offers no harm.
3. Subjects are required to drink the DLW (normally less than 250ml in volume) at selected time points according to the study design.

**2 Location in which the procedure may take place**

- |                                     |  |
|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="text" value="Project Laboratory (Room No: PG051)"/>   |
| <input checked="" type="checkbox"/> | <input type="text" value="Research Laboratory (Room No: PG052b)"/> |
| <input checked="" type="checkbox"/> | <input type="text" value="Free-living environment"/>               |
| <input type="checkbox"/>            | <input type="text"/>   |

**3 Eligibility of subject(s) to be used**

- |                                     |   |
|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="text" value="PESS student (U.G. or P.G.)"/>  |
| <input checked="" type="checkbox"/> | <input type="text" value="University staff or campus personnel"/>   |
| <input checked="" type="checkbox"/> | <input type="text" value="Members of the general public engaged in research projects granted ethical approval."/> |

**For Office Use Only: ULREC No:**

**4 Potential risks. To be explained before obtaining consent**

None as this is a stable, non-toxic, isotope of water

**5 Action to be taken in the event of an foreseeable emergency**

AS consumption of water is of no risk there is no foreseeable emergency related to this procedure. However, should the subject PERCEIVE there to be a harmful effect s/he can withdraw as per normal ethical guidelines.

**6 Level of supervision required for procedure**

Dr Joe Bass, Prof P Jakeman

Delegated person (see detailed protocol)

Others, please specify

**7 Other documentation required for this assessment ?**

Pre-test measurement of body mass

Detailed protocol

**FOR COMPLETION BY HEAD OF DEPARTMENT**

**RISK ASSESSMENT FORM – PROCEDURES INVOLVING HUMAN SUBJECTS**

**IN THE DEPARTMENT OF : PHYSICAL EDUCATION AND SPORT SCIENCES**

Procedure No

Title of Procedure

Doubly labelled water technique for measurement of free-living energy expenditure

Name of Assessor(s)

Dr. Joseph Bass/ Prof P Jakeman

Assessment Date

13/ 12/2017

**8 Approval of procedure**

Granted

Subject to conditions (see below)

Others, please specify

Comments/conditions

Informed consent must be completed.

Signed: \_\_\_\_\_  
(Head of Department)

Date: \_\_\_\_\_

# Standard operating procedure

## Doubly labelled water (DLW) technique for measurement of free-living energy expenditure

December 2017

### Background

Doubly labelled water (DLW) is a mixture of two stable isotopes, i.e. deuterium the stable isotope of hydrogen and oxygen-18, the stable isotope of oxygen. This water is completely safe to drink, as both isotopes are stable and are present in all the water on earth.

The subjects' body mass and total body water is used to titrate the required amount of DLW to achieve incorporation into the body water pool. DLW has no difference in taste or texture to normal water and offers no harm. When the subject metabolises energy to carbon dioxide and water the amount of isotope released provides a direct measure of the rate of energy expenditure.

This document provides general guidance to study personnel on how to administer safely DLW.

### Personnel

An "appropriate delegated person" is one who has received training and is experienced in the performance of the specified procedure.

### Immunisation

Current and effective immunisation against Hepatitis B is required for all research staff who handle human samples, in this case urine samples.

### Equipment

DLW specific measuring cylinder and capped drinking bottle

DLW

### Procedure

#### To be undertake in the evening prior to bedtime

1. Using the subjects' total body water volume, calculate the required volume of DLW
2. Measure the correct volume of DLW into a drinking bottle, capped and given to the subject.
3. The subjects is to provide a urine sample prior to consumption of the DLW.
4. The subject to drink the DLW straight from the bottle **INSTRUCTED NOT TO DECANT INTO A CUP OR OTHER VESSEL**
5. Having consumed the contents of the bottle the subject is required to refill the bottle with normal drinking water, cap, mix and then consume the rinse solution straight from the bottle.

**Emergency / spillage procedure** – If sample is spilled, the subject is instructed to inform the experimenter (mobile 'phone contact) who will advise on what to do (dependent on the amount lost).

**Disposal and decontamination** – There is no special precaution for disposal of spillage as the DLW is harmless to the person and the environment.