



UNIVERSITY of LIMERICK
OLLSCOIL LUIMNIGH

For Office Use Only: ULREC No: ____/____

UNIVERSITY OF LIMERICK RESEARCH ETHICS COMMITTEE

RISK ASSESSMENT FORM – PROCEDURES INVOLVING HUMAN SUBJECTS

Procedure No

Title of Procedure

Name of Assessor(s) Assessment Date

Does this procedure already have ethical approval? (Delete as appropriate)

If **YES**, enter ethical number and expiry date

Approval No:	
Expiry Date:	/ /

1 Please provide a brief description of the procedure

General conditions:

- The subjects will have completed a pre-test questionnaire (PAR-Q) and will have provided written, informed consent.
- The procedure involves cycling on an inclined motorised treadmill whilst attached to a pulley (see Figure 1). The exercise intensity is regulated by addition of weights to the pulley system as per that described by Jakeman *et al. British Journal of Sports Medicine* 27, 157-161 (1993).




Figure 1. Treadmill cycle ergometry




Figure 2. Interpolation of onset of blood lactate accumulation (OBLA) from blood lactate data before (O-O) and after (●-●)

Procedure:

1. Subject to cycle on his/her tailored road bike with crank length, gear ratio and tyre pressure optimised for the individual.
2. The subject is fitted with a Polar™ Heart Rate Monitor.
3. Subject is stabilised by experimenter whilst the treadmill velocity is increased until a stable velocity is reached (normally 12kph) and the cyclist cycles freely at his/her chosen pedal cadence.
4. Subject maintains a set cycling velocity, ranging between 14 and 17.5 kph, depending on ability, on a treadmill inclined to 2%. The starting intensity of exercise is set to a

heart rate equivalent to between 50 and 55% of maximal oxygen uptake calculated using the Karvonen Formula*.

5. Intensity of exercise is incrementally increased by addition of known mass (range 0.5 to 3kg) to the pulley. Exercise intensity is linearly related to pulley mass (Jakeman *et al* , 1993).
6. The energy cost of cycling for each incremental increase in exercise intensity is measured by indirect calorimetry using an off-line Douglas Bag technique or on-line Metabolic Cart (SS009) during the last minute of each stage of the test.
7. A capillary sample of blood is taken (SS024) during the last 15s seconds of each stage of the test to determine the blood lactic acid concentration using a dry (Lactate Pro™) or wet (Analox GM7) lactate analyser (Figure 2).
8. The test is terminated when the blood lactic acid concentration exceeds 4mmol/l.
9. The test may be terminated an earlier stage should the subject show undue signs of stress or exceed a heart rate $\geq 90\%$ of maximal oxygen uptake as predicted from the Karvonen Formula.

* Karvonen Formula : Target HR = RHR + % VO₂max(MHR-RHR)

Where: RHR = Resting Heart Rate, MHR= Max Heart Rate – if known or 220-Age if predicted
and % VO₂max = required intensity expressed as a fraction of the maximal oxygen uptake

2 Location in which the procedure may take place

<input checked="" type="checkbox"/>	Project Laboratory (Room No: PG052) or Main Physiology Lab (PG050), PESS Building
<input type="checkbox"/>	

3 Eligibility of subject(s) to be used

<input checked="" type="checkbox"/>	UL staff, students or campus personnel recruited for projects granted PESSREG approval
<input checked="" type="checkbox"/>	Members of the general public recruited for projects granted PESSREG approval

4 Potential risks. To be explained before obtaining consent

<input checked="" type="checkbox"/>	None, or minimal discomfort only
-------------------------------------	----------------------------------

If the risks are other than trivial please provide a brief description.

5 Action to be taken in the event of an foreseeable emergency

Please provide a clear statement of appropriate action including contact names and telephone numbers.

1. Stop the procedure. Position the subject to prevent self-injury.
2. Raise the subject's lower limbs to improve blood flow and counteract the vasovagal influence. Should the subject fail to respond **summon help immediately**.
3. Check vital signs airways, breathing and circulation (ABC)
4. If required attempt CPR
5. Contact telephone numbers:
 - a. During normal working hours 9am-5pm, use lab phone to contact the Student Health Centre on **2534**
 - b. Outside of normal working hours, or if the Student Health Centre number is engaged/busy, use the laboratory phone to dial **3333** for UL security personnel who will then contact the ambulance service.

When contacting the above clearly state:

Location : Project Laboratory (PG052), Sports Building. Phone number Extn. **2856**
Incident: Subject collapse during treadmill exercise.

6 Level of supervision required for procedure

Faculty staff, post-graduate or undergraduate researcher trained to level of supervision required by principal researcher of PESSREG approved study.

7 Other documentation required for this assessment ?

Informed consent relating to PESSREG approved project using this procedure.

Pre-test subject questionnaire (PAR-Q)

FOR COMPLETION BY HEAD OF DEPARTMENT

RISK ASSESSMENT FORM – PROCEDURES INVOLVING HUMAN SUBJECTS

In the Department of : Physical Education and Sport Sciences

Procedure No

Title of Procedure

Physiological Assessment of the Energy Cost and Lactate Profile During Incremental, Sub-Maximal Cycling on a Motorised Treadmill

Name of Assessor(s)

Professor P. Jakeman

Assessment Date

22/10/2009

8 Approval of procedure

Granted

Subject to conditions (see below)

Others, please specify

Comments/conditions

Signed: _____
(Head of Department)

Date: _____